

**CONDITIONS - EXHIBIT B
HILLIARD PARCEL MAP (SUB2013-00070/CO 12-0065)**

Approved Project

A Tentative Parcel Map (CO 12-0065) to subdivide an existing 5 acre parcel into two parcels of 2.5 acres each for the purpose of sale and/or development.

Access

1. The future development on Parcel 1 shall utilize a shared driveway with Parcel 2 (using the existing driveway). All driveway approaches shall be constructed in accordance with County Public Improvement Standards. All driveway approaches constructed on County roads to be accepted for County maintenance shall require an encroachment permit.

Offers, Easements, and Restrictions

2. The applicant shall offer for dedication to the public the following easements by certificate on the map or by separate document:
 - a. For future road improvement additional 5-foot wide road right-of-way along Sandoval Road to be described as 25-feet from the recorded centerline.
3. The applicant shall reserve the following private easements by certificate on the map or by separate document:
 - a. A minimum 25-foot shared private access and utility easement in favor of Parcel 2 with additional width as necessary to include all elements of the roadway prism and as may be required by Cal Fire.

Fire Safety

4. **At the time of application for construction permits**, all plans submitted to the Department of Planning and Building shall meet the fire and life safety requirements of the California Fire Code. Requirements shall include, but not be limited to those outlined in the Fire Safety Plan prepared for the project by the Cal Fire Department, dated July 11, 2014.

Parks and Recreation (Quimby) Fees

5. Unless exempted by Chapter 21.09 of the county Real Property Division Ordinance or California Government Code section 66477, prior to filing of the final parcel or tract map, the applicant shall pay the in-lieu fee that will be used for community park and recreational purposes as required by Chapter 21.09. The fee shall be based on the total number of new parcels or remainder parcels shown on the map that do not already have legal residential units on them.

Transfer of Development Credit

6. **Prior to recordation of the final map**, the applicant shall release their ownership in the Receipt of Transfer or the Certificate of Sending Credits to the Department of Planning and Building. Acceptance of the release shall only occur if the credits are located in conformance with Section 22.24.090 of Title 22. The Director shall notify the TDC Administrator of the release and specify the registration numbers of the credits that were used. After release, the credits are no longer valid and available for use. The applicant is required to transfer one credit from an existing sending site in the Adelaida area for the purpose of this subdivision.

Miscellaneous

7. This subdivision is also subject to the standard conditions of approval for all subdivisions using community water and septic or individual well and septic system. Copies of which are attached hereto and incorporated by reference herein as though set forth in full.
8. All timeframes on approved tentative maps for filing of final parcel or tract maps are measured from the date the Review Authority approves the tentative map, not from the date a time extension request may be acted on.

Additional Map Sheet

9. The applicant shall prepare an additional map sheet to be approved by the County Department of Planning and Building and the Department of Public Works. The additional map sheet shall be recorded with the final parcel or tract map. The additional map sheet shall include the following:
 - a. That approval of the subdivision included the use of Transfer Development Credits, the number of credits used, their registration numbers, and the location and assessor's parcel numbers of the sending site.
 - b. Building setback line for noise mitigation as shown on tentative map.
 - c. **At the time of application for construction permits**, the applicant shall demonstrate whether the project (including both public and private improvements) is subject to the LUO Section for Stormwater Management. Applicable projects shall submit a Stormwater Control Plan (SWCP) to satisfy post construction requirements for stormwater treatment prepared by an appropriately licensed professional to the County for review and approval. The SWCP shall incorporate appropriate BMP's, shall demonstrate compliance with Stormwater Quality Standards and shall include a preliminary drainage plan, a preliminary erosion and sedimentation control plan. The applicant shall submit complete drainage calculations for review and approval.
 - d. **At the time of application for construction permits**, if necessary, the applicant shall submit a draft "Private Stormwater Conveyance Management and Maintenance System" exhibit for any proposed post construction structural treatment device for review and approval by the County.

ATTACHMENT 2

e. Prior to approval of the construction permits, if necessary, the applicant shall record with the County Clerk the "Private Stormwater Conveyance Management and Maintenance System" to document on-going and permanent storm drainage control, management, treatment, disposal and reporting.

**STANDARD CONDITIONS OF APPROVAL FOR SUBDIVISIONS USING
COMMUNITY WATER AND SEPTIC TANKS**

1. Community water and fire protection shall be obtained from the community water system.
2. Operable water facilities from an approved Public water source shall be assured prior to the filing of the final map. A “final will serve” letter shall be obtained and submitted to Environmental Health Services for review and approval stating there are operable water facilities immediately available for connection to the parcels created. Construction of required improvements (water main extensions, laterals to each parcel) may be delayed, through preparation of plans, posting of bonds, and subject to the approval of County Public Works, Environmental Health Services, and the public water utility. However, bonding may **not** occur for the water well(s) construction, quantity and quality.
3. No residential building permits are to be issued until the community (public) water system is operational with a domestic water supply permit issued by Environmental Health Services.
4. In order to protect the public safety and prevent possible groundwater pollution, any abandoned wells on the property shall be destroyed in accordance with the San Luis Obispo County Well Ordinance Chapter 8.40, and Environmental Health Services destruction standards. The applicant is required to obtain a permit from the County Health Department.
5. When a potentially operational or existing auxiliary water supply (in the form of an existing well(s)) is located on the parcels created by this subdivision and approved community water is proposed to serve the parcels, the community water supply shall be protected from real or potential cross-contamination by means of an **approved** cross-connection control device installed at the meter or property line service connection **prior to occupancy**. (Chapter 8.30, San Luis Obispo County Code).
6. On-site systems that are in conformance with the county–approved Central Coast Regional Water Quality Control Board basin plan and County Building and Construction Ordinance, Title 19, will be an acceptable method of sewage disposal, until public sewers may become available.
7. No sewage disposal system installations are to be placed closer than 100 feet from the top of any perennial or continuous creek bank, drainage swale or area subject to inundation.
8. For parcels created with approved community (public) water but no community sewers, the approved on-site sewage disposal system shall be designed, where feasible, for ease in ultimate sewerage.
9. Sewage disposal systems shall be separated from any individual domestic well and/or agricultural well, as follows: 1) leaching areas, feed lots, etc., one hundred (100) feet and bored seepage pits (dry wells), one hundred and fifty (150) feet. Domestic wells intended to serve 5 or more parcels shall be separated by a minimum of two hundred

ATTACHMENT 2

(200) feet from a leach field, two hundred and fifty (250) feet from seepage pits or dry wells.

10. Individual systems on new land divisions shall be designed and constructed to either reserve sufficient site area for dual leach fields (100% replacement area), or construct the dual leach fields with a diverter valve at the time of initial septic system installation.
11. Sewage disposal systems installed on slopes in excess of 20% shall be designed and certified by a registered civil engineer or geologist and submitted to the County Planning and Environmental Health Services for review and approval **prior to the issuance** of a building permit. Consultants shall determine geologically stable building sites and sewage disposal for each parcel, including evaluations of hillside stability under the most adverse conditions including rock saturation and seismic forces. Slopes in excess of 30% are not considered suitable or practical for on-site subsurface sewage disposal.
12. An encroachment permit shall be obtained from County Public Works for any work to be performed within the county right-of-way.
13. An encroachment permit shall be obtained from the California Department of Transportation for any work to be performed on the state highway.
14. Any existing reservoir or drainage swale on the property shall be delineated on the map.
15. Prior to submission of the map "check prints" to County Public Works, the project shall be reviewed by all applicable public utility companies and a letter be obtained indicating required easements.
16. Required public utility easements shall be shown on the map.
17. Approved street names shall be shown on the map.
18. The applicant shall comply with state, county and district laws/ordinances applicable to fire protection and consider increased fire risk to area by the subdivision of land proposed.
19. The developer shall submit a preliminary subdivision guarantee to County Public Works for review prior to the filing of the map.
20. Any private easements on the property shall be shown on the map with recording data.
21. All conditions of approval herein specified, unless otherwise noted, shall be completed prior to recordation of the map.
22. After approval by the Review Authority, compliance with the preceding conditions will bring the proposed subdivision in conformance with the Subdivision Map Act and county ordinances.
23. A map shall be filed in accordance with the Subdivision Map Act and county ordinance prior to sale, lease, or financing of the lots proposed by the subdivision.

ATTACHMENT 2

24. A tentative map will expire 24 months from the effective date of the approval. Tentative maps may be extended. Written requests with appropriate fees must be submitted to the Planning Department prior to the expiration date. The expiration of tentative maps will terminate all proceedings on the matter.

**STANDARD CONDITIONS OF APPROVAL FOR SUBDIVISIONS
USING INDIVIDUAL WELLS AND SEPTIC TANKS**

1. Each parcel shall have its own private well(s) for a domestic water supply approved by Environmental Health Services, except as set forth in 2d.
2. Operable water facilities shall exist prior to the filing of the final subdivision map. Evidence of adequate and potable water, shall be submitted to Environmental Health Services including the following:
 - A. Well Completion Report- The well log generated by the driller at the time the well is constructed.
 - B. Water Quality- A complete chemical analysis, to include general mineral, general physical and inorganics, shall be submitted for evaluation for each of the wells developed. Site evaluations may trigger additional testing requirements by Environmental Health Services. (Within last 5 years)
 - C. Production- On individual private wells, a minimum of a four hour pump test with draw down and recovery data by a **licensed** and **bonded** well driller or pump testing company, shall be submitted for review and approval for each well proposed for the subdivision. (Within last 5 years)
 - D. Shared Well System- The applicant shall contact Environmental Health Services for assistance in properly designing a shared water well system. A shared water well system review fee (said fee is separate from any fees paid through the County Planning and Building Department) shall be provided to this office prior to finaling the map.
3. On-site systems that are in conformance with the county-approved Central Coast Regional Water Quality Control Board basin plan and County Building and Construction Ordinance, Title 19, will be an acceptable method of sewage disposal until community sewers may become available.
4. No sewage disposal system installations are to be placed closer than 100 feet from the top of any perennial or continuous creek banks, drainage swales or areas subject to inundation.
5. Sewage disposal systems shall be separated from any individual domestic well and/or agricultural well, as follows: 1) leaching areas, feed lots, etc., one hundred (100) feet and bored seepage pits (dry wells), one hundred and fifty (150) feet. Domestic wells intended to serve 5 or more parcels shall be separated by a minimum of two hundred (200) feet from septic systems and dry wells.
6. Individual systems on new land divisions shall be designed and constructed to either reserve sufficient site area for dual leach fields (100% replacement area), or construct the dual leach fields with a diverter valve at the time of initial septic system installation.
7. Sewage disposal systems installed on slopes in excess of 20% shall be designed and certified by a registered civil engineer or geologist and submitted to the County Planning Department for review and approval **prior to the issuance of a building permit**. Consultants shall determine geologically stable building sites and sewage disposal for each parcel, including evaluations of hillside stability under the most adverse conditions

ATTACHMENT 2

including rock saturation and seismic forces. Slopes in excess of 30% are not considered suitable or practical for subsurface sewage disposal.

8. An encroachment permit shall be obtained from County Public Works for any work to be done within the county right-of-way.
9. An encroachment permit shall be obtained from the California Department of Transportation for any work to be done on the state highway.
10. Any existing reservoir or drainage swale on the property shall be delineated on the map.
11. Prior to submission of the map "checkprints" to County Public Works, the project shall be reviewed by all applicable public utility companies and a letter be obtained indicating required easements.
12. Required public utility easements shall be shown on the map.
13. Approved street names shall be shown on the map.
14. The applicant shall comply with state, county and district laws/ordinances applicable to fire protection and consider increased fire risk to area by the subdivision of the land proposed.
15. The developer shall submit a preliminary subdivision guarantee to County Public Works for review prior to recordation of the map.
16. Any private easements on the property shall be shown on the map with recording data.
17. All conditions of approval herein specified, unless otherwise noted, shall be complied with prior to recordation of the map.
18. After approval by the Review Authority, compliance with the preceding conditions will bring the proposed subdivision in conformance with the Subdivision Map Act and county ordinances.
19. A map shall be filed in accordance with Subdivision Map Act and county ordinance prior to sale, lease, or financing of the lots proposed by the subdivision.
20. A tentative map will expire 24 months from the effective date of the approval. Tentative maps may be extended. Written requests with appropriate fees must be submitted to the Planning Department prior to the expiration date. The expiration of tentative maps will terminate all proceedings on the matter.